




# Flexi + apparatus box - Ring adjustment



## Box - Ring combination

Box Type	Ring Type	Board range
Low box	EKO07438 - Low ring	9 - 21 mm (Max.)
Low box	EKO07439 - High ring	24 - 36 mm (Max.)

NNZ5674800-00


ELKO AB,  
Box 5115,  
121 17 Johanneshov  
[www.elko.se/kundsupport](http://www.elko.se/kundsupport)

ELKO AS,  
Pb. 6598 Etterstad, 0607 Oslo  
[www.proff.elko.no/kontakt-oss](http://www.proff.elko.no/kontakt-oss)





# Flexi + apparatus box - Ring adjustment



## Box - Ring combination

Box Type	Ring Type	Board range
High box	EKO07438 - Low ring	24 - 36 mm (Max.)
High box	EKO07439 - High ring	24 - 51 mm (Max.)

NNZ5674800-00





**ELKO AB,**  
Box 5115,  
121 17 Johanneshov  
[www.elko.se/kundsupport](http://www.elko.se/kundsupport)

**ELKO AS,**  
Pb. 6598 Etterstad, 0607 Oslo  
[www.proff.elko.no/kontakt-oss](http://www.proff.elko.no/kontakt-oss)





# Flexi + apparatus box - Ring adjustment



## Box - Ring combination

Box Type	Ring Type	Board range
SE BB 1G	IMT80305 - Low ring	12 - 24 mm (Max.)
SE BB 1G	IMT80306 - High ring	24 - 39 mm (Max.)

NNZ5674800-00

ELKO AB,  
Box 5115,  
121 17 Johanneshov  
[www.elko.se/kundsupport](http://www.elko.se/kundsupport)

ELKO AS,  
Pb. 6598 Etterstad, 0607 Oslo  
[www.proff.elko.no/kontakt-oss](http://www.proff.elko.no/kontakt-oss)

