

Certificate




for European Product Safety

Reference No. 2000481

Socket outlets

Type designation	L801, L800, L3362
Certificate holder	Elko AS Sandstuveien 68, 0680 Oslo NORWAY
The product complies with the standard(s)	IEC 60884-1:2002+A1+A2 SS 428 08 34:2013+T1+R1
Date of expiry	22 November 2022

Additional information in Appendix.

Certification Body	Intertek Semko AB, Product Certification	Place	Kista - Stockholm
Signed	 Henrik Wikström	Date	08 January 2020

Page 1 of 6

**Intertek
Appendix**

Reference No. 2000481

Technical data

Type designation	L801 (D 1091 PT)
Rated voltage (V)	250V AC
Rated current (A)	16A
Brand name:	ELKO
Product information	Catalogue ID: D 1091 PT. Socket-outlet for fixed installation. Standard Sheet III. Thermoplastic, flush mounting, 2 gang, with shutters and screw/screwless terminals. 60mm fixing distance. IP21 with RS and Plus design

Type designation	L801 (DR 1091 PT)
Rated voltage (V)	250V AC
Rated current (A)	16A
Brand name:	ELKO
Product information	Catalogue ID: DR 1091 PT. Socket-outlet for fixed installation. Alternative design. Standard Sheet III. Thermoplastic, flush mounting, 2 gang, with shutters and screw/screwless terminals. 60mm fixing distance. IP21 with RS and Plus design.

Type designation	L800 (H 1091 PT prosjektstikk)
Rated voltage (V)	250V AC
Rated current (A)	16A
Brand name:	ELKO
Product information	Catalogue ID: H 1091 PT prosjektstikk. Socket-outlet for fixed installation. Standard Sheet III. Thermoplastic, flush mounting, 2 gang, with shutters and screwless terminals. 60mm fixing distance. IP21 with RS and Plus design

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

**Intertek
Appendix***Reference No. 2000481*

Type designation L800 (Plus dbl rehabstikk m j)
Rated voltage (V) 250V AC
Rated current (A) 16A
Brand name: ELKO
Product information Catalogue ID: Plus dbl rehabstikk m j. Socket-outlet for fixed installation. Standard Sheet III. Thermoplastic, flush mounting, 2 gang, with shutters and screw terminals. 60mm fixing distance. IP20 with plus design

Type designation L801 (Plus 2-vägs snabb m j)
Rated voltage (V) 250V AC
Rated current (A) 16A
Brand name: ELKO
Product information Catalogue ID: Plus 2-vägs snabb m j. Socket-outlet for fixed installation. Standard Sheet III. Thermoplastic, flush mounting, 2 gang, with shutters and screw/screwless terminals. 60mm fixing distance. IP20 with Plus design

Type designation L3362 (RS 1091 PT DELT 440)
Rated voltage (V) 250V AC
Rated current (A) 16A
Brand name: ELKO
Product information Catalogue ID: RS 1091 PT DELT 440. Socket-outlet for fixed installation. With split output for separate phases. Standard Sheet III. Thermoplastic, flush mounting, 2 gang, with shutters and screw terminals. 60mm fixing distance. IP21 with RS and Plus design

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



Intertek Appendix

Reference No. 2000481

Type designation	L801 (D 1091 LAV PT)
Rated voltage (V)	250V AC
Rated current (A)	16A
Brand name:	ELKO
Product information	Catalogue ID: D 1091 LAV PT. Socket-outlet for fixed installation. Standard Sheet III. Thermoplastic, flush mounting, 2 gang, with shutters and screw/screwless terminals. 60mm fixing distance. IP21 with RS and Plus design
Type designation	L800 (RS 1091)
Rated voltage (V)	250V AC
Rated current (A)	16A
Brand name:	ELKO
Product information	Catalogue ID: RS 1091. Socket-outlet for fixed installation. Standard Sheet III. Thermoplastic, flush mounting, 2 gang, with screw terminals. 60mm fixing distance. IP21 with RS and Plus design.
Type designation	L800 (RS 1091 PT)
Rated voltage (V)	250V AC
Rated current (A)	16A
Brand name:	ELKO
Product information	Catalogue ID: RS 1091 PT. Socket-outlet for fixed installation. Standard Sheet III. Thermoplastic, flush mounting, 2 gang, with screw terminals. 60mm fixing distance. IP21 with RS and Plus design
Type designation	L800 (RS 1091 LAV PT)
Rated voltage (V)	250V AC
Rated current (A)	16A
Brand name:	ELKO
Product information	Catalogue ID: RS 1091 LAV PT. Socket-outlet for fixed installation. Standard Sheet III. Thermoplastic, flush mounting, 2 gang, with shutters and screw terminals. 60mm fixing distance. IP21 with RS and Plus design

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

**Intertek**
Appendix*Reference No. 2000481*

Type designation L800 (1090 UPT IF)
Rated voltage (V) 250V AC
Rated current (A) 16A
Brand name: ELKO
Product information Catalogue ID: 1090 UPT IF. Socket-outlet for fixed installation. Standard Sheet III. Thermoplastic / Thermosetting, flush mounting, 2 gang, with shutters and screw terminals. 60mm fixing distance. IP44 with splashscreen type L478. For use in cold environment down to -25°C.

Type designation L3362 (RS 1091 PT DELT)
Rated voltage (V) 250V AC
Rated current (A) 16A
Brand name: ELKO
Product information Catalogue ID: RS 1091 PT DELT. Socket-outlet for fixed installation. With split output. Standard Sheet III. Thermoplastic, flush mounting, 2 gang, with shutters and screw terminals. 60mm fixing distance. IP21 with RS and Plus design

Type designation L800 (RS 1091 PT m/lysdiodo)
Rated voltage (V) 250V AC
Rated current (A) 16A
Brand name: ELKO
Product information Catalogue ID: RS 1091 PT m/lysdiodo. Socket-outlet for fixed installation. With signal light. Standard Sheet III. Thermoplastic, flush mounting, 2 gang, with shutters and screw terminals. 60mm fixing distance. IP21 with RS and Plus design

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

**Intertek**
Appendix

Reference No. 2000481

Type designation	L800 (RS 1091 PT prosjektstikk)
Rated voltage (V)	250V AC
Rated current (A)	16A
Brand name:	ELKO
Product information	Catalogue ID: RS 1091 PT prosjektstikk. Socket-outlet for fixed installation. Standard Sheet III. Thermoplastic, flush mounting, 2 gang, with shutters and screw terminals. 60mm fixing distance. IP21 with RS and Plus design

Manufacturing site(s)	Elko AS Sporpind Industriområde 3341 Åmot NORWAY
	AS M&P Nurst Hiiumaa, Ümarmäe 3, 92414 Kärkla 92002 Nurste ESTONIA

This certificate is based on a certificate with ref. No. P17222303/A2 dated 20 November 2019, issued by Nemko according to the Nordic Certification Service Agreement.

The certificate applies for countries that have sanctioned the use of plugs/outlets according to subject standard sheet and component standard.

This certificate replaces the certificate No. 1719890 dated 22 November 2017. A new certificate has been issued due to updating for Socket outlet intended to be used in cold environment down to -25°C.

Certification Body	Intertek Semko AB, Product Certification	Place	Kista - Stockholm
--------------------	--	-------	-------------------

Signed

Henrik Wikström

Date 08 January 2020

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.